

腎臓の働き早見表

男性

OKD診療ガイド2012より(一部改変)

クレアチニン	年 齢													
	20	25	30	35	40	45	50	55	60	65	70	75	80	85
0.60	143.6	134.7	127.8	122.3	117.7	113.8	110.4	107.4	104.8	102.4	100.2	98.3	96.5	94.8
0.70	121.3	113.8	108.0	103.3	99.4	96.1	93.3	90.7	88.5	86.5	84.7	83.0	81.5	80.1
0.80	104.8	98.3	93.3	89.3	85.9	83.1	80.6	78.4	76.5	74.7	73.2	71.7	70.4	69.2
0.90	92.1	86.4	82.0	78.5	75.5	73.0	70.8	68.9	67.2	65.7	64.3	63.1	61.9	60.8
1.00	82.1	77.0	73.1	69.9	67.3	65.1	63.1	61.4	59.9	58.5	57.3	56.2	55.2	54.2
1.10	74.0	69.4	65.9	63.0	60.6	58.6	56.9	55.3	54.0	52.7	51.6	50.6	49.7	48.8
1.20	67.3	63.1	59.9	57.3	55.1	53.3	51.7	50.3	49.1	48.0	46.9	46.0	45.2	44.4
1.30	61.6	57.8	54.9	52.5	50.5	48.8	47.4	46.1	45.0	43.9	43.0	42.2	41.4	40.7
1.40	56.8	53.3	50.6	48.4	46.6	45.0	43.7	42.5	41.5	40.5	39.7	38.9	38.2	37.5
1.50	52.7	49.4	46.9	44.9	43.2	41.8	40.5	39.4	38.4	37.6	36.8	36.1	35.4	34.8
1.60	49.1	46.1	43.7	41.8	40.2	38.9	37.7	36.7	35.8	35.0	34.3	33.6	33.0	32.4
1.70	46.0	43.1	40.9	39.1	37.7	36.4	35.3	34.4	33.5	32.8	32.1	31.4	30.9	30.3
1.80	43.2	40.5	38.4	36.8	35.4	34.2	33.2	32.3	31.5	30.8	30.1	29.5	29.0	28.5
1.90	40.7	38.2	36.2	34.6	33.3	32.2	31.3	30.4	29.7	29.0	28.4	27.8	27.3	26.9
2.00	38.5	36.1	34.2	32.8	31.5	30.5	29.6	28.8	28.1	27.4	26.8	26.3	25.8	25.4
2.10	36.5	34.2	32.5	31.1	29.9	28.9	28.0	27.3	26.6	26.0	25.5	25.0	24.5	24.1
2.20	34.7	32.5	30.9	29.5	28.4	27.5	26.6	25.9	25.3	24.7	24.2	23.7	23.3	22.9
2.30	33.0	31.0	29.4	28.1	27.1	26.2	25.4	24.7	24.1	23.5	23.0	22.6	22.2	21.8
2.40	31.5	29.6	28.0	26.8	25.8	25.0	24.2	23.6	23.0	22.5	22.0	21.6	21.2	20.8
2.50	30.1	28.3	26.8	25.7	24.7	23.9	23.2	22.5	22.0	21.5	21.0	20.6	20.2	19.9
2.60	28.9	27.1	25.7	24.6	23.7	22.9	22.2	21.6	21.1	20.6	20.2	19.8	19.4	19.1
2.70	27.7	26.0	24.7	23.6	22.7	21.9	21.3	20.7	20.2	19.8	19.3	19.0	18.6	18.3
2.80	26.6	25.0	23.7	22.7	21.8	21.1	20.5	19.9	19.4	19.0	18.6	18.2	17.9	17.6
2.90	25.6	24.0	22.8	21.8	21.0	20.3	19.7	19.2	18.7	18.3	17.9	17.5	17.2	16.9
3.00	24.7	23.2	22.0	21.0	20.2	19.6	19.0	18.5	18.0	17.6	17.2	16.9	16.6	16.3
3.10	23.8	22.3	21.2	20.3	19.5	18.9	18.3	17.8	17.4	17.0	16.6	16.3	16.0	15.7
3.20	23.0	21.6	20.5	19.6	18.9	18.2	17.7	17.2	16.8	16.4	16.1	15.7	15.5	15.2
3.30	22.2	20.9	19.8	18.9	18.2	17.6	17.1	16.6	16.2	15.9	15.5	15.2	14.9	14.7
3.40	21.5	20.2	19.2	18.3	17.6	17.1	16.5	16.1	15.7	15.3	15.0	14.7	14.5	14.2
3.50	20.9	19.6	18.6	17.8	17.1	16.5	16.0	15.6	15.2	14.9	14.6	14.3	14.0	13.8
3.60	20.2	19.0	18.0	17.2	16.6	16.0	15.5	15.1	14.8	14.4	14.1	13.8	13.6	13.3
3.70	19.6	18.4	17.5	16.7	16.1	15.5	15.1	14.7	14.3	14.0	13.7	13.4	13.2	13.0
3.80	19.1	17.9	17.0	16.2	15.6	15.1	14.7	14.3	13.9	13.6	13.3	13.0	12.8	12.6
3.90	18.5	17.4	16.5	15.8	15.2	14.7	14.2	13.9	13.5	13.2	12.9	12.7	12.4	12.2
4.00	18.0	16.9	16.0	15.3	14.8	14.3	14.3	13.5	13.1	12.8	12.6	12.3	12.1	11.9

 軽度～中度低下
 中度～高度低下
 高度低下
 末期腎不全